

JCWSCS 0 8 JUN 2004

Jun-08-04 11:24am From-STINSON MORRISON HECKER

+

T-906 P.01/05 F-266

STINSON  
MORRISON  
HECKER LLP

Tel (816) 842-8600  
Fax (816) 691-3495  
1201 Walnut, Suite 2800  
Kansas City, MO 64106-2150

## Facsimile

To:	Facsimile #	Firm	Firm Telephone #
OIPE	(703)746-9195	Commissioner for Patents	

From: J. David Wharton

Date: May 14, 2004

Pages: 5 (including this cover sheet)

Sender ID#: 2097

Client-Matter #: 506390-0090

The original of this  
document was sent by

☐ First Class Mail  
☐ Messenger  
☐ Air Mail

☐ Overnight Mail  
☒ No Other Delivery  
☐ Other: \_\_\_\_\_

Comment: Please find attached a correction to the Filing Receipt for U.S. Patent Application 10/800,357.

Return Original To: Lora Gurley

Notify When Complete: Lora Gurley

KANSAS CITY  
OVERLAND PARK  
WICHITA  
WASHINGTON, D.C.  
PHOENIX  
ST. LOUIS  
OMAHA  
JEFFERSON CITY

THIS TRANSMITTAL AND ACCOMPANYING DOCUMENTS ARE INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED, AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. Unauthorized use, disclosure or copying is strictly prohibited and may be unlawful. If you have received this communication in error, please immediately notify us at (816) 842-8600.

Serial No.: 10/800,357  
Docket No.: 506390-0090

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Inventor(s) : Jim Hunter et al.  
Serial No. : 10/800,357  
Filing Date : March 15, 2004  
Title : BIOLOGICAL SAFETY CABINET WITH  
IMPROVED AIR FLOW

Group/Art Unit : 3749  
Examiner : Not yet assigned  
Confirmation No. : 7942

Atty. Docket No. : 506390-0090

**TRANSMITTAL LETTER**

**Via Facsimile (703) 746-9195**

Commissioner for Patents  
Office of Initial Patent Examination's  
Filing Receipt Corrections  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Applicant's counsel acknowledges receipt of the Filing Receipt and requests correction of the Title of the application. A copy of the Filing Receipt with the changes noted thereon is enclosed.

Please correct the Title from:

"Biological safety safety cabinet with improved air flow" to  
-- Biological safety cabinet with improved air flow -- .

**Certification of Facsimile Transmission Under 37 C.F.R. 1.8**

I hereby certify that this correspondence is being transmitted via facsimile to the Commissioner for Patents, Office of Initial Patent Examination's, Filing Receipt Corrections, fax number (703) 746-9195 on:

Date: June 8 2004  
Signature: Michael P. O'Connell  
Printed Name: Michael P. O'Connell


The Director is hereby authorized to charge any additional amount required, or credit any overpayment, to Deposit Account No. 19-4409.

Serial No.: 10/800,357  
Docket No.: 506390-0090

Acknowledgment of receipt is respectfully requested.

Respectfully submitted,

By:

  
J. David Wharton, Reg. No. 25,717  
STINSON MORRISON HECKER LLP  
1201 Walnut Street, Suite 2800  
Kansas City, MO 64106-2150  
Telephone: (816) 842-8600  
Facsimile: (816) 691-3495  
Attorney for Applicant



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/800,357	03/15/2004	3749	385	506390-0090	5	26	7

CONFIRMATION NO. 7942

J David Wharton Esq  
 Strinson Morrison Hecker LLP  
 1201 Walnut Street  
 Kansas City, MO 64106

## FILING RECEIPT



\*OC000000012531204\*

Date Mailed: 05/05/2004

Receipt is acknowledged of this reissue Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

## Applicant(s)

Jim Hunter, Overland Park, KS;  
 Kevin Gilkison, Overland Park, KS;  
 Larry Nelson, Kingsville, MO;  
 Burt Rhea, Overland Park, KS;  
 Jerry O'Dell, Independence, MO;  
 Greg Krueger, Trimble, MO;  
 Gary Roepke, Kansas City, MO;  
 Gerhard W. Knutson, Edina, MN;  
 Mary Ellen Kennedy, Ashton, ON, CANADA;

## Domestic Priority data as claimed by applicant

This application is a REI of 09/553,923 04/20/2000 PAT 6,368,206


## Foreign Applications

If Required, Foreign Filing License Granted: 05/04/2004

Projected Publication Date: None, application is not eligible for pre-grant publication

Non-Publication Request: No

Early Publication Request: No



**\*\* SMALL ENTITY \*\*****Title**Biological safety ~~safety~~ cabinet with improved air flow**Preliminary Class**

454

---

**LICENSE FOR FOREIGN FILING UNDER  
Title 35, United States Code, Section 184  
Title 37, Code of Federal Regulations, 5.11 & 5.15**

**GRANTED**

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

**NOT GRANTED**

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).